

01.12.2016. , 5940/8,

:

”

“

”

“

”

1.

2.

3.

) _____

149 a

: , , , ,

, . 25

,17 86 .

, ,

.

, .

,

.

.

.

,

.

.

,

.

,

,

:

,

,

,

.

.

.

.

,

.

:

,

:)

)

)

)

-

”

“

78

103

,

(KneeSocietyClinicalRatingSystem

WesternOntarioandMcMasterUniversitiesArthritisIndex).

(KneeSocietyRoentgenographicEvaluationSystem).

3,6

12

) _____

(Knee Society Score– *KSS*),
18±11,4 83±3,5,
(Functional Knee Society Score –*FKSS*) a 21±9,9 50±5,9,
(Western Ontario and McMaster Universities Arthritis Indeks-
WOMAC) 23±6,4 69±4,6. *KSS*
26±9,0 82±2,9, *FKSS* 27±9,7 50±7,4,
WOMAC 27±6,3 a 69±5,0.

je

0,9%,

96,3%,

94,2%,

t (0.9%), a

3

(2.5%)

(p=0.407).

80

97,2%, a

95,8%.

(BAC),

>20, 12,9%

<20

>20, 21,2%

<20,

>80, 1,1%

<80, 16,7%

<80, 9,5%

>80

100%.

KSS FKSS,
WOMAC .
($r < 0,5$).

)

8
(J.K.Lee,
2012).

Almedia
(2008), Ranawat (1989), Dalury (1995),
Stundner (2014), 4,5%
3,5%
0,9%, 36
Rodriguez
(1996) e
4,1%,
7

(Bongartz 2008, Schrama 2010),

, , 1,26%
0,84%, Bheeshma Ravi (2014).

(Denglu, 2013).

, ,
11 ,
: 96,3%
94,2%. o
10
: 97,34% (Scuderi, 1989), 97% (Schai, 1999), 93%
(Hanyu, 1997), 96% (Himanen, 2005).

, ,
(Yoshishara 2016, Goodman 2016).

, 20 ,
71,3% 72,7%

(84,7 77,7).

(Noble 2006, Bourne 2010, Dunbar 2013).

KSS FKSS

WOMAC

)

*Blagojevi Z, Gluš evi B, or evi B. Total knee arthroplasty in patients with rheumatoid arthritis-midterm results
Vojnosanitetski pregled, 2016 OnLine-First (00):154-154
DOI:10.2298/VSP150901154G*

) ()

”

“

, ao

,
,
.
,2016.
:
.
.
.
.